TWO MEAN VALUES WHICH CHARACTERIZE THE POISSON PROCESS

by

PETER JAGERS

TECHNICAL REPORT NO. 183
November 5, 1971

PREPARED UNDER CONTRACT NO0014-67-A-0112-0053
(NR-042-267)
OFFICE OF NAVAL RESEARCH

Herbert Solomon, Project Director

Reproduction in Whole or in Part is Permitted for any Purpose of the United States Government

DEPARTMENT OF STATISTICS
STANFORD UNIVERSITY
STANFORD, CALIFORNIA

Also issued as Technical Report No. 29
National Sciences Foundation Grant G2-24918

UNCLASSIFIED

Security Classification							
DOCUI	MENT CONTROL DATA -		So overelf import to singuitient				
. ORIGINATING ACTIVITY (Corporate author)			AT SECURITY CLASSIFICATION				
DEPARTMENT OF STATISTICS							
STANFORD UNIVERSITY CALIF	26 GROUP						
REPORT TITLE							
TWO MEAN VALUES WHICH CHARACT	ERIZE THE POISSON 1	PROCESS					
DESCRIPTIVE NOTES (Type of report and inchesive TECHNICAL REPORT	delne)						
AUTHOR(S) (Lest name, tiret game, initial)	·						
JAGERS, Peter							
REPORT DAYE	74 TYAL NO. O	PAGES	76. NO. OF HEFE				
November 5, 1971			1				
L CONTRACT OR GRANT NO.	PA ORIGINATOR'S	SA. ORIGINATOR'S REPORT NUMBER(3)					
N00014-67-A-0.12-0053	No. 183	No. 183					
NR-042-267	•						
NR-042-207	44 02450 2570	T MOSEL CA					
	mie repert)	II HOLD IN MY	other numbers that may be essigned				
	No. 29 1	No. 29 NSF24918					
AVAILABILITY/LIMITATION NOTICES							
Distribution of this docume	ne da waldadead						
distribution of this docume.	ur 18 murimited						
SUPPLEMENTARY NOTES	12. SPONSORING HI	LITARY ACER	Man and a second				
		12. SPONSORING MILITARY ACTIVITY Logistics & Mathematical Sciences Brand Office of Naval Research					
•							
	Arlington,						
ABSTRACT,							

It is shown that the expected age at time t > 0 and the expected residual life at t both single out Poisson processes among renewal processes on the positive line.

DD .5084. 1473

UNCLASSIFIED

Security Classification

UNCLASSIFIED

Security Classification 14 KEY WORDS	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		LIN	LINK A		LINK B		LINKC	
		HOLE	W T	ROLE	WY	MOLE	WT		
	·	•			{		1 . !		
	·						·		
							!		
				ŀ					
	Poisson process		l		!!		i i		
	renewel process		1		i i				
	•		1				i i		
•			1	1]]			× .	
			ł	l	1 1				
				ł	i 1]		
•			1	ł	1 1				
		•	1		1 1		1 1		
	$\boldsymbol{e} = (\boldsymbol{e}_{i}, \boldsymbol{e}_{i}, \boldsymbol{e}_{$		[]		1 1		(I		

INSTRUCTIONS

- ORIGINATING ACTIVITY: Enter the same and address of the contractor, subcontractor, grantes, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking in to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, answel, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of suthor(s) as shown on or in the report. Enter last name, first name, middle initial, if military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7s. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- Sa. CONTRACT OR GRANT NUMBER: If eppropriete, enter the applicable number of the contract or great under which the report was written.
- 85, &c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, tank number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number was be unique to this report.
- 9b. OTHER REPORT NUMBER(8): If the report has been assigned any other report numbers (either by the originates or by the sponeor), also enter this number(s).
- 10. AVAILABILITY/LIMITATION NOTICES: Enter eny limitations on further dissemination of the report, other than there

imposed by security classification, using standard statements such an

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign amountement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) **U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- IL SUPPLEMENTARY NOTES: Use for additional explana-
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paring for) the research and development. Include address.
- 13. ABITRACT: Enter an obstract giving a brief and factual summery of the document indicative of the report, even though it may also appear eisewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (3), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KET WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade same, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The sesignment of links, rules, and weights is optional.

DD (2004, 1473 (BACK)

Unclassified

TWO MEAN VALUES WHICH CHARACTERIZE THE POISSON PROCESS

ъу

Peter Jagers

The literature abounds with characterizations of Poisson processes among renewal processes. Here are two, hopefully, new ones. A suggestion of Kai Lai Chung made me think of them.

Let F be a probability measure on $(0,\infty)$, X_n , $n=1,2,\ldots$ a sequence of independent random variables with the distribution F, $S_0 = 0$, $S_n = S_{n-1} + X_n$, $n=1,2,\ldots$ the corresponding partial sums, and

$$N_t = \sup\{n; S_n \le t\}, t \ge 0$$
,

the induced renewal process. Consider the "age at t",

$$\delta(t) = t - S_{N_{+}}$$

and the "residual life at t"

$$\delta^*(t) = S_{N_t+1} - t$$
, $t \ge 0$.

If $\{N_t\}$ is Poisson, that is $F(x) = 1 - e^{-\lambda x}$, $x \ge 0$, for some $\lambda > 0$, then, as is well known,

- (1) $\delta^*(t)$ has distribution F for all t;
- (2) for all t 8(t) is distributed according to F_{t} ,

$$F_{t}(x) = \begin{cases} F(x), & 0 \leq x \leq t \\ \\ 1, & x > t \end{cases}$$

Chung proved in [1] that either one of (1) or (2) for arbitrary F implies that the process is Poisson. Actually, his results are somewhat stronger, for example, $\delta*(t)$ must only have the distribution F for a sequence of t:s tending to infinity, or for all t in some initial segment $0 \le t \le t_0$, $t_0 > 0$. We shall prove the following:

- (i) If $E[8*(t)] < \infty$, t > 0, is independent of t, then $\{N_t\}$ is Poisson.
- (ii) If $F[\delta(t)] = \int_{0}^{\infty} x F_{t}(dx) , \quad t > 0 ,$

then $\{N_{\pm}\}$ is Poisson.

Proof of (i).

$$P\{8*(t) > x\} = \sum_{n=0}^{\infty} P\{8*(t) > x, S_n \le t < S_{n+1}\} = \sum_{n=0}^{\infty} P\{S_{n+1} > t + x, S_n \le t\} = \sum_{n=0}^{\infty} \sum_{n=0}^{t} P\{X_{n+1} > t + x - u \mid S_n = u\}F*^n(du) = \sum_{n=0}^{t} [1 - F(t + x - u)]V(du),$$

where F^{*n} is the n^{th} convolution power of F and

$$V = \sum_{n=0}^{\infty} F^{*n} .$$

Integration yields the expected value

$$\Delta^*(t) = E[\delta^*(t)] = \int_0^\infty P\{\delta^*(t) > x\} dx =$$

$$= \int_0^t \{\int_0^\infty [1-F(x)] dx\} V(du)$$

after a change in the order of integration. Since $\Delta^*(t)$ is finite by assumption,

$$\mu = \int_{0}^{\infty} xF(dx) < \infty.$$

And if we denote the Laplace-Stieltjes transform by ,

$$\hat{f}(s) = \int_{0}^{\infty} e^{-st} f(dt) ,$$

it follows that

$$\hat{\Delta}^*(s) = \{\mu - [1-\hat{F}(s)]s^{-1}\}\hat{V}(s) =$$

$$= [\mu s - 1 + \hat{F}(s)] / s[1-\hat{F}(s)] , \quad s > 0 .$$

Now if Δ^* is constant, say $\Delta^*(t)=c$, $t\geq 0$ then $\hat{\Delta}^*(s)=c$ for all s and we obtain

$$\hat{F}(s) = [(c-\mu)s+1]/(i+cs)$$
.

Since $\hat{F}(\infty) = F(0) = 0$, $c = \mu$ and $\hat{F}(s) = (1+\mu s)^{-1}$, that is $F(x) = 1 - e^{-x/\mu}$.

Proof of (ii).

$$P\{\delta(t) > x\} = \sum_{n=0}^{\infty} P\{S_n < t-x, S_{n+1} > t\} =$$

$$= \sum_{n=0}^{\infty} \int_{0}^{t-x-} P\{S_{n+1} > t \mid S_n = u\} F^{*n}(du) =$$

$$= \int_{0}^{t-x-} [1-F(t-u)] V(du) .$$

Therefore

$$\Delta(t) = E[\delta(t)] = \int_{0}^{\infty} P\{\delta(t) > x\} dx =$$

$$= \int_{0}^{t} \{\int_{0}^{x-} [1-F(t-u)]V(du)\} dx =$$

$$= \int_{0}^{t-} \{\int_{u}^{t} [1-F(t-u)]dx\}V(du) =$$

$$= \int_{0}^{t-} [1-F(t-u)](t-u)V(du) =$$

$$= \int_{0}^{t} [1-F(t-u)](t-u)V(du) .$$

And the transform is

$$\hat{\Delta}(s) = \hat{V}(s)s \int_{0}^{\infty} e^{-st} [1-F(t)]t dt =$$

$$= -\hat{V}(s)s \frac{d}{ds} \{ [1-\hat{F}(s)]s^{-1} \} =$$

$$= [s\hat{F}'(s) + 1 - \hat{F}(s)] / s[1 - \hat{F}(s)].$$

But under (ii)

$$\Delta(t) = \int_{0}^{\infty} xF_{t}(dx) = \int_{0}^{t} xF(dx) + t[1-F(t)]$$

yielding

$$\hat{\Delta}(s) = -\hat{F}'(s) + [s\hat{F}'(s) + 1 - \hat{F}(s)]s^{-1}$$
.

Equating the two expressions, we see that terms cancel beautifully and

$$\hat{sF}'(s) = \hat{F}^2(s) - \hat{F}(s)$$

with the obvious initial condition

$$\hat{F}(0) = 1$$
.

This is a Riccati equation with the unique solution

$$\hat{F}(s) = (1 + \mu s)^{-1}$$

where

$$\mu = -\hat{F}^{\dagger}(0) = \int_{0}^{\infty} xF(dx) < \infty$$
.

Hence,

$$F(x) = 1 - e^{-x/\mu}$$
.

A simple consequence might be worthwhile noting. Given that $N_t = n, \ t \geq 0, \ n \geq 1, \ \text{the random variables} \quad X_1, X_2, \dots, X_{n-1}, \ \text{that is}$ the spans between renewal points in [0,t], have the same distribution. And the last subinterval t- S_n has this same conditional law, for a sequence of the tending to infinity, if and only if the process is Poisson [1].

We get an expectation analogue of this result directly: If, for $t\geq 0,\; n\geq 1,$

$$E[t-S_n | N_t=n] = E[X_1 | N_t=n] ,$$

then

$$\begin{split} &\mathbb{E}(t) = \sum_{n=0}^{\infty} \mathbb{E}[\delta(t) | \mathbb{N}_{t} = n] \mathbb{P}\{\mathbb{N}_{t} = n\} = \\ &= t\mathbb{P}\{\mathbb{N}_{t} = 0\} + \sum_{n=1}^{\infty} \mathbb{E}[t - \mathbb{S}_{n} | \mathbb{N}_{t} = n] \mathbb{P}\{\mathbb{N}_{t} = n\} = \\ &= t[1 - \mathbb{F}(t)] + \mathbb{E}[\mathbb{X}_{1} \mathbb{1}_{\{\mathbb{N}_{t} > 0\}}] = \\ &= t[1 - \mathbb{F}(t)] + \int_{0}^{t} x\mathbb{F}(dx) = \int_{0}^{\infty} x\mathbb{F}_{t}(dx) . \end{split}$$

And so, by (ii) it follows that $\{N_t^{}\}$ is Poisson.

Reference

 Kai Lai Chung, The Poisson process as a renewal process. To appear in Periodica Mathematica.